SPECIFICATIONS FOR NICHIA CHIP TYPE **WARM WHITE** LED MODEL : **NFSL036BLT**

NICHIA CORPORATION

 $(T_{c}-25^{\circ}C)$

1.SPECIFICATIONS

(1) Absolute Maximum Ratings

1) Absolute Maximum Ratings			$(Ts=25^{\circ}C)$
Item	Symbol	Absolute Maximum Rating	Unit
Forward Current	IF	250	mA
Pulse Forward Current	IFP	450	mA
Allowable Reverse Current	Ir	85	mA
Power Dissipation	Pd	875	mW
Operating Temperature	Topr	$-40 \sim +100$	°C
Storage Temperature	Tstg	$-40 \sim +100$	°C
Dice Temperature	Tj	150	°C
Soldering Temperature	Tsld	Reflow Soldering : 260°C f	for 10sec.
		Hand Soldering : 350°C f	for 3sec.

IFP Conditions : Pulse Width ≤ 10 msec. and Duty $\leq 1/10$

(2) Initial Electrical/Optical Characteristics

) Initial Electrical/Optical Characteristics						
Item	Symbol	Condition	Тур.	Max.	Unit	
Forward Voltage		VF	IF=150[mA]	(3.2)	3.5	V
Luminous Flux*		φv	IF=150[mA]	(28)	-	lm
		-	IF=150[mA]	0.41	-	-
Chromaticity Coordinate	y	-	IF=150[mA]	0.39	-	-

Luminous flux value is traceable to the CIE 127:2007-compliant national standards. *

** Please refer to CIE 1931 chromaticity diagram.

(3) Ranking

) Kaliking (15–23							
Item		Symbol	Condition	Min.	Max.	Unit	
	Rank P11		IF=150[mA]	30.3	36.0	lm	
	Rank P10			25.5	30.3		
Luminous Flux	Rank P9	φv		21.4	25.5		
	Rank P8			18.0	21.4		
	Rank P7			15.1	18.0		

* Luminous Flux Measurement allowance is \pm 7%.

Color R	Ranks (IF=150mA,Ts=25°C)					s=25°C)	
			Ran	k d1			
x	0.3575	0.3610	0.3780	0.3988	0.3897	0.3720	
у	0.3612	0.3850	0.3970	0.4116	0.3823	0.3714	
	Rank d2						
х	0.3545	0.3575	0.3720	0.3897	0.3822	0.3667	
у	0.3408	0.3612	0.3714	0.3823	0.3580	0.3484	
	Rank e1						
X	0.3897	0.3988	0.4162	0.4390	0.4255	0.4053	
у	0.3823	0.4116	0.4200	0.4310	0.4000	0.3907	

	Rank e2						
х	0.3822	0.3897	0.4053	0.4255	0.4129	0.3954	
у	0.3580	0.3823	0.3907	0.4000	0.3725	0.3642	

		Rank f3					
Х	0.4255	0.4390	0.4680	0.4519			
У	0.4000	0.4310	0.4385	0.4086			
		Rank f5					
Х	0.4129	0.4255	0.4519	0.4355			
у	0.3725	0.4000	0.4086	0.3785			

	Rank f4				
Х	0.4519	0.4680	0.4970	0.4770	
У	0.4086	0.4385	0.4466	0.4137	
	Rank f6				
Х	0.4355	0.4519	0.4770	0.4588	
у	0.3785	0.4086	0.4137	0.3838	

* Color Coordinates Measurement allowance is ± 0.01 .

* Basically, a shipment shall consist of the LEDs of a combination of the above ranks. The percentage of each rank in the shipment shall be determined by Nichia.

Correspondence table of Color Coordinates - Luminous Flux ranks

Ranking by Luminous Flux Ranking by Color Coordinates	Р7	Р8	Р9	P10	P11
d1, d2, e1, e2					
f3, f4, f5, f6					

* Shaded ranks are available.

(4) Correspondence table of Luminous Flux – Luminous Intensity (Reference)

φv (lm)	Iv (cd)
36.0	(29.6)
30.3	(24.8)
25.5	(20.6)
21.4	(17.1)
18.0	(14.2)
15.0	(11.7)

2.INITIAL OPTICAL/ELECTRICAL CHARACTERISTICS Please refer to "CHARACTERISTICS" on the following pages.

3.OUTLINE DIMENSIONS AND MATERIALS Please refer to "OUTLINE DIMENSIONS" on the following page.

4.PACKAGING

• The LEDs are packed in cardboard boxes after taping.

Please refer to "TAPING DIMENSIONS" and "PACKING "on the following pages.

- The label on the minimum packing unit shows ; Part Number, Lot Number, Ranking, Quantity
- · In order to protect the LEDs from mechanical shock, we pack them in cardboard boxes for transportation.
- The LEDs may be damaged if the boxes are dropped or receive a strong impact against them, so precautions must be taken to prevent any damage.
- \cdot The boxes are not water resistant and therefore must be kept away from water and moisture.
- \cdot When the LEDs are transported, we recommend that you use the same packing method as Nichia.

5.LOT NUMBER

The first six digits number shows lot number.

The lot number is composed of the following characters;

 $\bigcirc \Box \times \times \times \times \text{ - } \Diamond \Diamond \Diamond$

○ - Year (8 for 2008, 9 for 2009)

 \Box - Month (1 for Jan., 9 for Sep., A for Oct., B for Nov.)

 $\times \times \times \times$ - Nichia's Product Number

 $\Diamond \Diamond \Diamond$ - Ranking by Color Coordinates, Ranking by Luminous Flux

6.RELIABILITY (1) TEST ITEMS AND RESULTS

	Standard			Number of
Test Item	Test Method	Test Conditions	Note	Damaged
Resistance to	JEITA ED-4701	Tsld=260°C, 10sec.	2 times	0/22
Soldering Heat	300 301	(Pre treatment 30°C,70%,168hrs.)		
(Reflow Soldering)				
Solderability	JEITA ED-4701	Tsld= $245 \pm 5^{\circ}$ C, 5sec.	1 time	0/22
(Reflow Soldering)	303 303A	using flux	over 95%	
		Lead-free Solder (Sn-3.0Ag-0.5Cu)		
Temperature Cycle	JEITA ED-4701	$-40^{\circ}\mathrm{C}\sim25^{\circ}\mathrm{C}\sim100^{\circ}\mathrm{C}\sim25^{\circ}\mathrm{C}$	100 cycles	0/22
	100 105	30min. 5min. 30min. 5min.		
Moisture Resistance Cyclic	JEITA ED-4701	$25^{\circ}C \sim 65^{\circ}C \sim -10^{\circ}C$	10 cycles	0/22
	200 203	90%RH 24hrs./1cycle		
High Temperature Storage	JEITA ED-4701	Ta=100°C	1000 hrs.	0/22
	200 201			
Temperature Humidity	JEITA ED-4701	Ta=60°C, RH=90%	1000 hrs.	0/22
Storage	100 103			
Low Temperature Storage	JEITA ED-4701	Ta=-40°C	1000 hrs.	0/22
	200 202			
Steady State Operating Life		Ta=25°C, IF=250mA	1000 hrs.	0/22
		Tested with Nichia standard circuit board.*		
Steady State Operating Life		Ta=100°C, IF=120mA	1000 hrs.	0/22
of High Temperature		Tested with Nichia standard circuit board.*		
Steady State Operating Life		60°C, RH=90%, IF=200mA	500 hrs.	0/22
of High Humidity Heat		Tested with Nichia standard circuit board.*		
Steady State Operating Life		Ta=-40°C, IF=150mA	1000 hrs.	0/22
of Low Temperature		Tested with Nichia standard circuit board.*		
Vibration	JEITA ED-4701	100 ~ 2000 ~ 100Hz Sweep 4min.	48min.	0/10
	400 403	200m/s ²		
		3directions, 4cycles		
Electrostatic Discharges	JEITA ED-4701	R=1.5kΩ, C=100pF	3 times	0/22
	300 304	Test Voltage=2kV	Negative/Positive	

★ Thermal resistance of LED with Nichia standard circuit board : Rja ≒ 90°C/W Nichia standard circuit board : FR4, t=1.6mm, Copper foil, t=0.07mm

(2) CRITERIA FOR JUDGING DAMAGE

) CRITERIA I OR JODOINO DAMAGE							
			Criteria for Judgement				
Item	Symbol	Test Conditions	Min.	Max.			
Forward Voltage	VF	IF=150mA	-	Initial Level \times 1.1			
Luminous Flux	φv	IF=150mA	Initial Level \times 0.7	-			

* The test is performed after the board is cooled down to the room temperature.

7.CAUTIONS

The LEDs are devices which are materialized by combining Blue LEDs and special phosphors. Consequently, the color of the LEDs is changed a little by an operating current. Care should be taken after due consideration when using LEDs.

(1) Moisture Proof Package

• When moisture is absorbed into the SMT package it may vaporize and expand during soldering. There is a possibility that this can cause exfoliation of the contacts and damage the optical characteristics of the LEDs. For this reason, the moisture proof package is used to keep moisture to a minimum in the package.

• The moisture proof package is made of an aluminum moisture proof bag. A package of a moisture absorbent material (silica gel) is inserted into the aluminum moisture proof bag. The silica gel changes its color from blue to red as it absorbs moisture.

(2) Storage

· Storage Conditions

Before opening the package :

The LEDs should be kept at 30°C or less and 90%RH or less. The LEDs should be used within a year. When storing the LEDs, moisture proof packaging with absorbent material (silica gel) is recommended.

After opening the package :

The LEDs should be kept at 30°C or less and 70%RH or less. The LEDs should be soldered within 168 hours (7days) after opening the package. If unused LEDs remain, they should be stored in the moisture proof packages, such as sealed containers with packages of moisture absorbent material (silica gel). It is also recommended to return the LEDs to the original moisture proof bag and to reseal the moisture proof bag again.

• If the moisture absorbent material (silica gel) has faded away or the LEDs have exceeded the storage time, baking treatment should be performed using the following condition.

Baking treatment : more than 24 hours at $65 \pm 5^{\circ}C$

- Nichia LED electrodes are gold plated. The gold surface may be affected by environments which contain corrosive substances. Please avoid conditions which may cause the LED to corrode, tarnish or discolor. This corrosion or discoloration may cause difficulty during soldering operations. It is recommended that the customer use the LEDs as soon as possible.
- Please avoid rapid transitions in ambient temperature, especially in high humidity environments where condensation can occur.

(3) Static Electricity

 \cdot Static electricity or surge voltage damages the LEDs.

It is recommended that a wrist band or an anti-electrostatic glove be used when handling the LEDs.

- All devices, equipment and machinery must be properly grounded. It is recommended that precautions be taken against surge voltage to the equipment that mounts the LEDs.
- When inspecting the final products in which LEDs were assembled, it is recommended to check whether the assembled LEDs are damaged by static electricity or not. It is easy to find static-damaged LEDs by a light-on test or a VF test at a lower current (below 1mA is recommended).
- Damaged LEDs will show some unusual characteristics such as the forward voltage becomes lower, or the LEDs do not light at the low current.

Criteria : (VF > 2.0V at IF=0.5mA)

(4) Application Design Considerations

• In designing a circuit, the current through each LED must not exceed the absolute maximum rating specified for each LED. It is recommended to use Circuit B which regulates the current flowing through each LED. In the meanwhile, when driving LEDs with a constant voltage in Circuit A, the current through the LEDs may vary due to the variation in forward voltage (VF) of the LEDs. In the worst case, some LED may be subjected to stresses in excess of the absolute maximum rating.



- This product should be operated in forward bias. A driving circuit must be designed so that the product is not subjected to either forward or reverse voltage while it is off. In particular, if a reverse voltage is continuously applied to the product, such operation can cause migration resulting in LED damage.
- Thermal design of the end product is of paramount importance. Please consider the heat generation of the LED when making the system design. The coefficient of temperature increase per input electric power is affected by the thermal resistance of the circuit board and density of LED placement on the board, as well as other components. It is necessary to avoid intense heat generation and operate within the maximum ratings given in this specification.
- Please determine the operating current with consideration of the ambient temperature local to the LED and refer to the plot of Ambient temperature vs. Allowable Forward Current on CHARACTERISTICS in this specifications. Please also take measures to remove heat from the area near the LED to improve the operational characteristics of the LED.
- \cdot The equation ① indicates correlation between Tj and Ta, and the equation ② indicates correlation between Tj and Ts1.



• Warpage of circuit board with soldered LEDs may result in damage or package breakage of the LEDs. Please pay special attention to the orientation of the LEDs as to avoid LED failure caused by bow, twist and warpage of the board.



When mechanical stress from the board affects the soldered LED, place the LED in the preferable location and orientation as shown above.

• Depending on the position and direction of LED, the mechanical stress on the LED package can be changed. Refer to the following figure.



- When separating the circuit boards with soldered LEDs, please use appropriate tools and equipment. Hand brake without these tools and equipment may not be used.
- The use of aluminum substrate increases stress to solder joints due to thermal expansion of substrate and subsequently may result in solder joint crack. Customers may need to evaluate their specific application to determine any impact due to the use of aluminum substrate.

(5) Handling Precautions

· Bare Hand

When handling the product, touching encapsulant with bare hands will contaminate its surface that could affects on optical characteristics. In the worst cases, excessive force to the encapsulant by hands might result in catastrophic failure of the LEDs due to wire deformation and/or breakage.



· Tweezers

When handling it with tweezers, the product should only be held by the ceramics body, not by the encapsulant. Failure to comply might result in chip-out and/or delamination of encapsulant, and in the worst cases, catastrophic failure of the LEDs due to wire deformation and/or breakage.



· Printed Circuit Board Assembled (PCB with LEDs soldered)

Do not stack assembled PCBs together. Since silicone is a soft material, abrasion between two PCB assembled with silicone encapsulated LED might cause catastrophic failure of the LEDs due to damage to encapsulant (such as scratch, chip-out and delamination) and wire (such as deformation and breakage) and LED detachment.



(6) Soldering Conditions

 \cdot The LEDs can be soldered in place using the reflow soldering method. Nichia cannot make a guarantee on the LEDs after they have been assembled using the dip soldering method.

	Reflow Solderin	g	Hand S	oldering		
	Lead Solder	Lead-free Solder				
Pre-heat	120 ~ 150°C	180 ~ 200°C	Temperature	350°C Max.		
Pre-heat time	120 sec. Max.	120 sec. Max.	Soldering time	3 sec. Max.		
Peak	240°C Max.	260°C Max.		(one time only)		
temperature						
Soldering time	10 sec. Max.	10 sec. Max.				
Condition	refer to	refer to				
	Temperature - profile ①.	Temperature - profile 2.				
		$(N_2 reflow is recommended.)$				

· Recommended soldering conditions

* Although the recommended soldering conditions are specified in the above table, reflow or hand soldering at the lowest possible temperature is desirable for the LEDs.

* A rapid-rate process is not recommended for cooling the LEDs down from the peak temperature. [Temperature-profile (Surface of circuit board)] Use the conditions shown to the under figure.





[Recommended soldering pad design]



Use the following conditions shown in the figure.

- Occasionally there is a brightness decrease caused by the influence of heat or ambient atmosphere during air reflow. It is recommended that the customer use the nitrogen reflow method.
- Repairing should not be done after the LEDs have been soldered. When repairing is unavoidable, a double-head soldering iron should be used. It should be confirmed beforehand whether the characteristics of the LEDs will or will not be damaged by repairing.
- \cdot Reflow soldering should not be done more than two times.
- · When soldering, do not put stress on the LEDs during heating.

(7) Cleaning

- It is recommended that isopropyl alcohol be used as a solvent for cleaning the LEDs. When using other solvents, it should be confirmed beforehand whether the solvents will dissolve the package and the resin or not. Freon solvents should not be used to clean the LEDs because of worldwide regulations.
- Do not clean the LEDs by the ultrasonic. When it is absolutely necessary, the influence of ultrasonic cleaning on the LEDs depends on factors such as ultrasonic power and the assembled condition. Before cleaning, a pre-test should be done to confirm whether any damage to the LEDs will occur.

(8) Safety Guideline for Human Eyes

• The International Electrical Commission (IEC) published in 2006 IEC 62471:2006 Photobiological safety of lamps and lamp systems which includes LEDs within its scope. Meanwhile LEDs were removed from the scope of the IEC 60825-1:2007 laser safety standard, the 2001 edition of which included LED sources within its scope. However, keep in mind that some countries and regions have adopted standards based on the IEC laser safety standard IEC 60825-1:2001 which includes LEDs within its scope.

Following IEC 62471:2006, most of Nichia LEDs can be classified as belonging to either Exempt Group or Risk Group 1. Optical characteristics of a LED such as output power, spectrum and light distribution are factors that affect the risk group determination of the LED. Especially a high-power LED, that emits light containing blue wavelengths, may be in Risk Group 2.

Great care should be taken when viewing directly the LED driven at high current or the LED with optical instruments, which may greatly increase the hazard to your eyes.

(9) Others

- · NFSL036BL complies with RoHS Directive.
- Flashing lights have been known to cause discomfort in people; you can prevent this by taking precautions during use. Also, people should be cautious when using equipment that has had LEDs incorporated into it.
- The LEDs described in this brochure are intended to be used for ordinary electronic equipment (such as office equipment, communications equipment, measurement instruments and household appliances). Consult Nichia's sales staff in advance for information on the applications in which exceptional quality and reliability are required, particularly when the failure or malfunction of the LEDs may directly jeopardize life or health (such as for airplanes, aerospace, submersible repeaters, nuclear reactor control systems, automobiles, traffic control equipment, life support systems and safety devices).
- The customer shall not reverse engineer by disassembling or analysis of the LEDs without having prior written consent from Nichia. When defective LEDs are found, the customer shall inform Nichia directly before disassembling or analysis.
- The formal specifications must be exchanged and signed by both parties before large volume purchase begins.
- · The appearance and specifications of the product may be modified for improvement without notice.



* Color Coordinates Measurement allowance is ± 0.01 .













項目 Item	材質 Materials
パッケージ材質 Paakaga	セラミックス
1 到上倒加	レンリコーン 樹脂(払剤剤+ 蛍光体入り)
Encapsulating Resin	Silicone Resin (with Diffused + Phosphor)
電極	金メッキ
Electrodes	Au Plating
レンズ	シリコーン樹脂
Lens	Silicone Resin

本製品には静電気に対する保護素子が内蔵されています。 (注) (NOTE) NxSx036xL has a protection device built in as a protection circuit against static electricity.



				chia STS <cat.1< th=""></cat.1<>
型名 Model	名称	外形寸法図	単位Unit	
NxSx036xL	Title OUTI	LINE DIMENSIONS	mm	1A0
日亜化学工業(株) NICHIA CORPORATION	管理番号 No.	090326939031	公差 Allow ±0.2	-0723 204>

Nic



Nichia STS-DA1-0723 <Cat. No.081204>

