

PRODUCT DATASHEET

ENDURA FLOOD Sensor 50 W 830 DG

ENDURA FLOOD Sensor | LED outdoor floodlight luminaires with sensor



AREAS OF APPLICATION

- Outdoor
- Replacement for floodlights with halogen lamps
- Garages
- Undercabinet lighting

PRODUCT BENEFITS

- Optimized weight and size due to compact design
- Very homogenous light
- Energy-efficient thanks to LED technology

PRODUCT FEATURES

- Very bright and functional outdoor LED luminaires
- Type of protection: IP44
- Die-cast aluminum housing
- Available in two housing colors: white and dark gray
- Connection via 1 m cable, wiring required
- Adjustable IR daylight and presence sensor with a detection range of up to 9 m



TECHNICAL DATA


Electrical data

Nominal wattage	50.00 W
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	3000 K
Color rendering index Ra	>80
Light color (designation)	Warm White
Luminous flux	4000 lm

Dimensions & weight



Length	257.0 mm
Width	201.0 mm
Height	63.0 mm
Product weight	1112.00 g

Colors & materials

Body material	Aluminum
Housing color	Dark gray
Product color	Dark gray

Temperatures & operating conditions

Ambient temperature range	-10...40 °C
---------------------------	-------------

Lifespan

Lifespan	25000 h
----------	---------

Additional product data

Mounting type	Surface
Mounting location	Wall / Floor

Capabilities

Dimmable	No
Type of connection	Cable, 2-pole

Certificates & standards

Protection class	I
Type of protection	IP44
Standards	CE/EAC

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075064362	ENDURA FLOOD Sensor 50 W 830 DG	Shipping carton box 8	440 mm x 295 mm x 285 mm	36.99 dm ³	9932.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.