



TrueForce LED Lampen

TrueForce LED HIL ND 3200-25W E27 740 CL

Philips TrueForce LED HIL (High Intensity Lamps) Lampen bieten eine hervorragende Alternative für herkömmliche HID Lampen in vertikalen Brennlagern. Die TrueForce LED Lampen bieten hohe Energieersparnisse, signifikant längere Nutzlebensdauern und schnelle Amortisationszeiten im Vergleich zu herkömmlichen HPL/SON Lampen in vertikaler Brennlagere. Die Lampengröße sowie die Brennerlage sind denen von herkömmlichen HPL/SON Lampen nachempfunden, sodass diese eine ideale Alternative bieten. Die TrueForce LED Lampen sind für den direkten Betrieb an 230V entwickelt.

Product data

General Information	
Cap-Base	E27 [E27]
Bulb Shape	Others
Nominal Lifetime (Nom)	50000 h
Switching Cycle	50000X
Technical Type	25-80W
Light Technical	
Color Code	740 [CCT of 4000K]
Beam Angle (Nom)	360 °
Luminous Flux (Nom)	3200 lm
Luminous Flux (Rated) (Nom)	3200 lm
Color Designation	Cool White (CW)
Rated Beam Angle	360 °
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	128.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	70
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	25 W
Lamp Current (Nom)	135 mA
Wattage Equivalent	80 W
Starting Time (Nom)	0.5 s
Warm Up Time To 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.9
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	80 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Clear

TrueForce LED Lampen

Approval and Application


Suitable For Accent Lighting	No
Energy Efficiency Label (EEL)	A++
Energy Consumption kWh/1000 h	25 kWh

Product Data

Full product code	871869668700000
Order product name	TrueForce LED HIL ND 32-25W E27 740 CL

EAN/UPC - Product	8718696687000
Order code	929001296602
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929001296602
Net Weight (Piece)	0.000 kg

Dimensional drawing



EU Post top 2600lm 4000k E27 ND clear

Product	D	C
---------	---	---

Photometric data

General Uniform Lighting

