



# TrueForce LED Lampen

## TrueForce LED HIL ND 4800-33W E27 740 CL

Philips TrueForce LED HIL (High Intensity Lamps) Lampen bieten eine hervorragende Alternative für herkömmliche HID Lampen in vertikalen Brennlagen. Die TrueForce LED Lampen bieten hohe Energieersparnisse, signifikant längere Nutzlebensdauern und schnelle Amortisationszeiten im Vergleich zu herkömmlichen HPL/SON Lampen in vertikaler Brennlage. Die Lampengröße sowie die Brennerlage sind denen von herkömmlichen HPL/SON Lampen nachempfunden, sodass diese eine ideale Alternative bieten. Die TrueForce LED Lampen sind für den direkten Betrieb an 230V entwickelt.

### Product data

General Information		Operating and Electrical	
Cap-Base	E27 [ E27]	Input Frequency	50 to 60 Hz
Bulb Shape	Others	Power (Rated) (Nom)	33 W
Nominal Lifetime (Nom)	50000 h	Lamp Current (Nom)	165 mA
Switching Cycle	50000X	Wattage Equivalent	125 W
Technical Type	33-125W	Starting Time (Nom)	0.5 s
		Warm Up Time To 60% Light (Nom)	0.5 s
		Power Factor (Nom)	0.9
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	740 [ CCT of 4000K]	T-Case Maximum (Nom)	80 °C
Beam Angle (Nom)	360 °		
Luminous Flux (Nom)	4800 lm	Controls and Dimming	
Luminous Flux (Rated) (Nom)	4800 lm	Dimmable	No
Color Designation	Cool White (CW)	Mechanical and Housing	
Rated Beam Angle	360 °	Bulb Finish	Clear
Correlated Color Temperature (Nom)	4000 K		
Luminous Efficacy (rated) (Nom)	145.45 lm/W		
Color Consistency	<6		
Color Rendering Index (Nom)	70		
LLMF At End Of Nominal Lifetime (Nom)	70 %		

# TrueForce LED Lampen

## Approval and Application


Suitable For Accent Lighting	No
Energy Efficiency Label (EEL)	A++
Energy Consumption kWh/1000 h	33 kWh

## Product Data

Full product code	871869668696600
Order product name	TrueForce LED HIL ND 48-33W E27 740 CL

EAN/UPC - Product	8718696686966
Order code	929001296402
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929001296402
Net Weight (Piece)	0.000 kg

## Dimensional drawing



EU Post top 4000lm 4000K E27 ND clear

Product	D	C
---------	---	---

Photometric data

General Uniform Lighting

