

PRODUCT DATASHEET

CABINET LED Corner 35 cm

Cabinet LED Corner | Low voltage undercabinet luminaires for corner application

AREAS OF APPLICATION

- Shelf and undercabinet lighting



PRODUCT BENEFITS

- Low voltage luminaire for DC operation with external driver
- Suitable for mounting in corners
- Homogenous light distribution
- Easy and fast mounting on nearly every surface (adhesive tape or screws)

PRODUCT FEATURES

- Luminous flux: up to 480 lm
- Switch on and off by movements with 5 cm distance in front of the infrared motion sensor
- Stepless dimming by covering the infrared motion sensor in 5 cm distance for at least one second
- Material: aluminum
- Color: silver
- Available in two lengths: 35 cm and 55 cm
- Available as single and double luminaire kit



TECHNICAL DATA

Electrical data

Nominal wattage	5.00 W
Operating mode	External LED driver
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	3000 K
Color rendering index Ra	≥80
Light color (designation)	Warm White
Luminous flux	320 lm
Luminous efficacy	64 lm/W
Luminous efficacy of lamp in luminaire	64 lm/W

Dimensions & weight



Length	350.0 mm
Width	40.7 mm
Height	23.0 mm
Product weight	248.00 g
Cable length	1500 mm

Colors & materials

Housing color	Gray
Product color	Gray
Cover material	Polycarbonate (PC)

Temperatures & operating conditions

Ambient temperature range	-20...40 °C
---------------------------	-------------

Additional product data

Mounting type	Surface
Mounting location	Cabinet undersides

Capabilities

Dimmable	Yes
Type of connection	Plug, EU

Certificates & standards

Protection class	II
Type of protection	IP20
Standards	CE/RoHS/EAC

EQUIPMENT / ACCESSORIES

- External mains adapter (cable length: 1.5 m) included



Detail

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075126329	CABINET LED Corner 35 cm	Shipping carton box 8	416 mm x 303 mm x 159 mm	20.04 dm ³	3418.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.