

# PRODUCT DATASHEET

## SILARA 410 21 W 827-860 Click-CCT

SILARA | LED ceiling luminaires, dimmable



---

### AREAS OF APPLICATION

- For indoor use only
- Decorative domestic lighting
- Ceiling and wall surface mounting

---

### PRODUCT BENEFITS

- Very homogenous light
- Easy and quick installation

---

### PRODUCT FEATURES

- Ceiling luminaire with advanced LED technology
- Circular light emission



---

**TECHNICAL DATA****Electrical data**

<b>Operating mode</b>	Mains voltage
<b>Nominal wattage</b>	21.00 W
<b>Nominal voltage</b>	220...240 V
<b>Mains frequency</b>	50/60 Hz

**Photometrical data**

<b>Color temperature</b>	3000 K
<b>Luminous flux</b>	1400 lm
<b>Light color (designation)</b>	Warm White/Cool White/Cool Daylight
<b>Color rendering index Ra</b>	>80

**Dimensions & weight**

<b>Diameter</b>	410.0 mm
<b>Height</b>	88.0 mm
<b>Product weight</b>	880.00 g

**Colors & materials**

<b>Body material</b>	Polycarbonate (PC)
<b>Product color</b>	White

**Lifespan**

<b>Lifespan</b>	25000 h
-----------------	---------

**Capabilities**

<b>Dimmable</b>	No
-----------------	----

**Certificates & standards**

<b>Protection class</b>	I
<b>Type of protection</b>	IP20
<b>Standards</b>	CE/REACH/RoHS

---

**EQUIPMENT / ACCESSORIES**

- Complete mounting and connecting accessories included

---

**LOGISTICAL DATA**

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075032958	SILARA 410 21 W 827-860 Click-CCT	Shipping carton box 6	652 mm x 472 mm x 450 mm	138.48 dm <sup>3</sup>	10619.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

#### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.