

# **PRODUCT DATASHEET** ST CLAS P 34 4 W/827 E14

# LED Retrofit CLASSIC P Mirror | LED lamps, classic mini-ball shape with mirror bulb crown



#### AREAS OF APPLICATION

- General illumination
- Mirror lighting
- Outdoor applications only in suitable luminaires

# **PRODUCT BENEFITS**

- Long lifetime of up to 15,000 h
- Low energy consumption
- Easy relamping thanks to compact design
- Instant 100 % light, no warm-up time
- Clear lamps with innovative LED "filament" technology

#### **PRODUCT FEATURES**

- Bulb crown coating: gold or silver
- Mercury-free lamps



November 21, 2017, 07:44:30 **ST CLAS P 34 4 W/827 E14** 

# **TECHNICAL DATA**

# Electrical data

Rated wattage	4.00 W
Nominal wattage	4.00 W
Nominal voltage	220240 V
Operating frequency	5060 Hz
Power factor λ	> 0.40
Claimed equiv. conventional lamp power	34 W


# Photometrical data

Nominal luminous flux	380 lm
Rated luminous flux	380 lm
Rated color temperature	2700 К
Color rendering index Ra	≥80
Lumen main.fact.at end of nom.life time	0.70
Light color (designation)	Warm White
Standard deviation of color matching	≤6 sdcm

# Light technical data

Warm-up time (60 %)	< 0.50 s
Starting time	< 0.5 s

# Dimensions & weight



Overall length	78.0 mm
Diameter	45.0 mm
Outer bulb	P45
Length	78.0 mm

# Lifespan

#### PRODUCT DATASHEET

Nominal lamp life time	15000 h
Rated lamp life time	15000 h
Number of switching cycles	100000

#### Additional product data

Base (standard designation)	E14		
Mercury content	0.0 mg		
Mercury-free	Yes		
Design / version	Clear		
Show WEEE picto	Yes		
Product remark	All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value		

#### Capabilities

# Certificates & standards

Energy efficiency class	A+
Energy consumption	4 kWh/1000h

# Country specific categorizations

ILCOS	DRBP/C-4/827-220/240-E14-45	
Order reference	LEDSCLP34MIR 4W	

#### LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075809000	ST CLAS P 34 4 W/827 E14	Shipping carton box 6	285 mm x 153 mm x 136 mm	5.93 dm³	360.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.