

PRODUCT DATASHEET Anna-50-5 series

last update 3/3/2014

Status



Product number C11612_ANNA-50-5-S

Anna-50-5 Family Type Lens array LED NCSxx19A Color Clear Diameter 50 mm Height 10.7 mm Style Round Optic Material **PMMA** Holder Material Pin, glue Fastening

FWHM 16 degrees
Efficiency 91 %
cd/lm 6.700
Gerber File Available



Product number C11613_ANNA-50-5-M

On production

Family Anna-50-5 Type Lens array LED NCSxx19A Color Clear Diameter 50 mm Height 10.7 mm Round Style Optic Material **PMMA** Holder Material Fastening Pin, glue On production Status

FWHM	23 degrees
Efficiency	89 %
cd/lm	3.200
Gerber File	Available



Product number C11614_ANNA-50-5-W

Anna-50-5 Family Type Lens array NCSxx19A **LED** Color Clear Diameter 50 mm 10.7 mm Height Style Round Optic Material **PMMA** Holder Material Fastening Pin, glue

Status

NCSxx19A cd/lm 2.000
Clear Gerber File Available
50 mm
10.7 mm

FWHM

Efficiency

28 degrees

86 %

NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.

On production



PRODUCT DATASHEET Anna-50-5 series

last update 3/3/2014

GENERAL INFORMATION

- Product series especially designed & optimized for NCSxx19A series of LEDs.
- Special care taken to make light distribution as uniform as possible.
- Lens material optical grade PMMA with high UV and temperature resistance. Allows use of high current and temperature conditions.

Please find more information about used material from below: http://ledil.fi/sites/default/files/Documents/Technical/Material/PMMA%208N%20UL94_Yellow%20Card.pdf http://ledil.fi/sites/default/files/Documents/Technical/Material/PMMA%208N%20PLEXIGLAS-Datasheet.pdf

